

Safety Data Sheet

29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: Chloro-bis (ethylene) Rhodium (I) Dimer

Product Code: 7059

Company: Colonial Metals, Inc.
 Building 20
 505 Blue Ball Road
 Elkton, MD 21921 United States
 Company Contact: EHS Director
 Telephone Number: 410-398-7200
 FAX Number: 410-398-2918
 E-Mail : info@colonialmetals.com
 Web Site: www.colonialmetals.com



www.colonialmetals.com

Emergency Response: Supplier Emergency Contacts & Phone Number

Chemtec: 800-424-9300
 World Wide - Call COLLECT to U.S: 703-527-3887

Section 2: Hazards Identification

GHS07

BLANK

BLANK

BLANK

Hazard Pictograms:



Signal Word: Warning

Hazard Category: Serious eye damage/eye irritation Cat 3
 Skin corrosion/irritation Cat 3
 Acute tox, inh. Cat 5
 Specific target organ tox, single exp. Cat 3 (resp irrit)
 Acute tox, oral Cat 5

Hazard Statements: H320: Causes eye irritation
 H316: Causes mild skin irritation
 H333: May be harmful if inhaled
 H335: May cause respiratory irritation
 H303: May be harmful if swallowed

Precautionary Statements: P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel
 P337+313: If eye irritation persists get medical advice/attention
 P308+313: IF exposed or concerned: Get medical advice/attention

Hazards not otherwise classified: Conditions Aggravated By Exposure
 May cause irritation of the respiratory system. Maintain housekeeping and personal hygiene to minimize exposure and prevent sensitization.
Conditions Aggravated By Overexposure
 To the best of our knowledge the chemical, physical, and toxicological effects of this compound have not been thoroughly investigated.
 Product incompatible with oxidizing agents and active metals. Can decompose carbon dioxide and carbon monoxide, organic vapors, metal oxides and carbonates.

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Chloro-bis (ethylene) Rhodium (I) Dimer	Irritant	12081-16-2	0-100
Product Name: Chloro-bis (ethylene) Rhodium (I) Dimer Chemical Name: Rhodium, di-mu.-chlorotetrakis(.eta.2-ethene)di- Chemical Family: Organometallic Complexes Chemical Formula: [RhCl(C ₂ H ₄) ₂] ₂ Synonyms: Rhodium, di-mu.-chlorotetrakis(.eta.2-ethene)di-			

Section 4: First Aid Measures

General Info: Dust may cause irritation of the respiratory system. Maintain housekeeping and personal hygiene to minimize

Notable Exposure symptoms: Irritation to skin, eyes and areas of contact.

If ingested: Rinse mouth. Seek immediate medical attention. Clear the airway and administer artificial respiration if not breathing.

If swallowed, do not induce vomiting unless directed to do so by medical personnel.

If inhaled: Remove the victim from the contaminated area while protecting yourself from exposure by wearing an appropriate respirator. Put a similar respirator on the victim if possible. Get medical attention immediately.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get immediate medical attention.

Skin contact: Flush area for 15 minutes with water and wash with soap and water. If discomfort occurs or persists, contact a physician. Remove contaminated clothing and shoes and wash before reuse.

Section 5: Fire Fighting Measures

General Info: Avoid breathing vapors, gases and fumes. Firefighters should wear self-contained breathing apparatus and full protective gear. Eliminate sources of ignition.

Extinguishing Method / Equipment: Use water spray, CO₂ (Carbon Dioxide), dry chemical, or foam

Hazardous Decomposition Info: Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas, Rhodium/rhodium oxides

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate respiratory protective equipment and clothing during clean-up. Avoid breathing dust. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Contain actively spilling material if safe and easy to do so. Do not let product enter drains. Sweep or soak up and place in sealed container for reclamation or disposal, taking care to avoid dusting. Ventilate area and wash spill site after pick-up is complete.

Section 7: Handling and Storage

Safe Handling Precautions: Do not handle until all safety precautions have been read and understood. Keep containers tightly closed. Ensure adequate ventilation. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment and wash thoroughly after handling. Keep away from ignition sources.

Recommendations for Storage: Store in a tightly sealed container in a dry, well ventilated place at -20C.

Incompatibilities: Strong oxidizing agents.

Section 8: Exposure Control / Personal Protection

General / Ventilation: Local Exhaust: Required in handling area

Engineering Controls: Mechanical: Desirable to insure concentration of material below TLV/TWA levels

Controls: Other: Closed Ventilation system - Dust (Laboratory Fume Hood)

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety glasses with side shields or goggles or face shield.

Skin Protection: Wear chemical resistant gloves.

Respiratory Protection: Utilize organic vapor respirator if airborne levels are not maintained or if ventilation is inadequate. Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Ingredient(s) - Exposure Limits Rhodium, di-mu.-chlorotetrakis(.eta.2-ethene)di-
ACGIH - TWA - 1 mg/m³ (as Rh)
OSHA PEL - 0.1 mg/m³ (as Rh)

Section 9: Physical and Chemical Properties

State: Solid	Melting Point: N/A	Freezing Point: N/A
Color: Rust colored powder	Boiling Point/Range: N/A	pH: N/A
Molecular Wt.: 388.93	Odor: Odorless	Water Solubility: Insoluble
Specific Gravity: N/A	Flash Point: N/A	Part. Coeff (n-octanol/water): N/A
Upper Flam Limits: N/A	Lower Flam Limits: N/A	Vapor Pressure: N/A
VOC Content (lbs/gal): N/A	Viscosity: N/A	Autoignition Temp: N/A

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Stability: Stable

Conditions to Avoid: Elevated Temperature

Incompatible materials: Strong Oxidizing agents

Decomposition products: Carbon oxides and hydrogen chloride gas

Section 11: Toxicological Information

General Information: To the best of our knowledge the chemical, physical, and toxicological effects of this compound have not been thoroughly investigated.

Section 12: Ecological Information

General information: No data available

Aquatic toxicity: No data available

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: No specific data available.

Section 13: Disposal Information

Product disposal: Place in a sealed container. Consult Federal EPA, State and local regulations for proper disposal/recycle/reclamation
NOTE: Chemical additions, processing, or otherwise altering this material may make the waste management information presented above incomplete, inaccurate, or otherwise inappropriate.

Container disposal: Treat empty containers with extra care. Consult waste contractor.

Section 14: Transport Information

DOT: Proper Shipping Name
Chloro-bis (ethylene) Rhodium (I) Dimer
Hazard Class
Not dangerous goods - Considered non-hazardous for transport
Secondary Hazard Class
NA

IMO/IMDG: Same as DOT 49 CFR regulations.

IATA: Same as DOT 49 CFR regulations. Consult IATA before shipping

Section 15: Regulatory Information

TSCA: Not Listed in the TSCA

SARA 302/311/313 SARA 302 Components:

SARA 302: This material does not contain any chemical components SARA Title III, Section 302 reporting requirements.

SARA 313 Components:

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313

SARA 311/312 Hazards:

No Sara Hazards

Canadian DSL: This product has been classified in accordance with the hazard criteria of CPR, and the MSDS contains all the information required by the CPR.

Other International None

Regulations:

Section 16: Other Information

NFPA Rating

Health: 2

Fire: 0

Reactivity: 0

HMIS Rating

Health: 2

Fire: 0

Reactivity: 0

Personal

Protection: J

Disclaimer: In compliance with the OSHA Hazard communication Standard, 29 C.F.R 1910.1200, we are providing you with a Materials Safety Data Sheet (MSDS) for the hazardous material you are purchasing.

It is your responsibility to educate your employees on the safe use of the hazardous material. With this in mind, a copy should be forwarded to the supervisor of the user or to the user themselves, and copy should be retained in your files for future reference.

Colonial Metals, Inc. makes no presentation as to the accuracy of the information in the MSDS. The information is believe to be correct; however, you (the customer), should preform your own investigation and independent verification. If you resell the product, you are responsible to forward the information in the MSDS to your customer.

Colonial Metals, Inc.

SDS Author: John Kerchner

Version Date: 7/30/2015