

Safety Data Sheet

29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: Palladium Powder- 100 Mesh Sponge

Product Code: 5035

CAS #: 7440-05-3

Company: Colonial Metals, Inc.
 Building 20
 505 Blue Ball Road
 Elkton, MD 21921 United States
 Company Contact: EHS Director
 Telephone Number: 410-398-7200
 FAX Number: 410-398-2918
 E-Mail : info@colonialmetals.com
 Web Site: www.colonialmetals.com



www.colonialmetals.com

Emergency Response: Supplier Emergency Contacts & Phone Number
 Chemtrec: 800-424-9300
 World Wide - Call COLLECT to U.S: 703-527-3887

Section 2: Hazards Identification

GHS02

GHS07

BLANK

BLANK

Hazard Pictograms:



Signal Word: Danger

Hazard Category: Flammable Solid
 Skin corrosion/irritation Cat 2
 Serious eye damage/eye irritation Cat 2
 Acute tox, inh. Cat 5
 Aspiration hazard Cat 2

Hazard Statements: H228: Flammable solid

Precautionary Statements:

P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking
 P241: Use explosion-proof electrical/ventilating/ lightning/equipment
 P280: Wear protective gloves/protective clothing/eye protection/face protection
 P370+ P378: In case of fire; Use for extinction: CO₂, powder or spray
 P240: Ground/bond container and receiving equipment
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray
 P264: Wash thoroughly after handling
 P271: Use only outdoors or in a well-ventilated area
 P302+352: IF ON SKIN: Wash with soap and water
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
 P312: Call a POISON CENTER or doctor/physician if you feel unwell
 P321: Specific treatment (see ... on this label)
 P332+313: If skin irritation occurs: Get medical advice/attention
 P337+313: If eye irritation persists get medical advice/attention
 P362: Take off contaminated clothing and wash before reuse
 P370+378: In case of fire: Use ... for extinction
 P403+233: Store in a well ventilated place. Keep container tightly closed
 P501: Dispose of contents/container in accordance with

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Palladium Powder	Flammable Solid	7440-05-3	99-100
Chemical Name: Palladium Metal, Palladium Powder, Palladium Flake	Chemical Family: Platinum Group Metals Chemical Formula: Pd		

Section 4: First Aid Measures

General Info: Ensure proper ventilation.

Notable Exposure symptoms: Irritation to skin, eyes and areas of contact.

symptoms:

If ingested: If victim is conscious and not convulsive, immediately give 2 to 4 glasses of water, and induce vomiting by touching finger in back of throat. From sitting position, head must be lower than hips to prevent aspiration. Keep patient warm and at rest. Get medical attention immediately.

If inhaled: Remove the victim from the contaminated area while protecting yourself from exposure by wearing an appropriate respirator. Put a similar respirator on the victim if possible. Get medical attention immediately.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Autoignition. Avoid breathing fumes from burning mater

Extinguishing Method / Equipment: Use water spray, dry chemical, carbon dioxide (CO2) or medium for primary source. If residue self-ignites, use CO2 or dry powder extinguisher.

Hazardous Decomposition Info: Constituents associated with burning / combustion are to be considered toxic. Firefighters should wear self-contained breathing apparatus and full protective gear.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing dust. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Large Spills: Contain actively spilling material if safe and easy to do so, avoid generating dust. Collect material and dispose

Small Spills: Sweep and collect to waste receptacles.

Cleanup Procedures: Collect all contaminated media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize vacuum cleaner, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling: Do not handle until all safety precautions have been read and understood. Keep containers tightly closed. Ensure adequate ventilation. Avoid creating or breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment and wash thoroughly after handling. 0.01 mg/m² high efficiency particular respirator/supplied air respirator/self-contained breathing apparatus; 0.2 mg/m² same as above with full face piece; 1 mg/m³ powdered air purifying respirator with high efficiency filter/type C supplied air respirator operated in pressure demand mode. Store in a sealed container, plastic or plastic liner, in a cool, well ventilated, dry area away from volatile acids.

Recommendations for Storage: Do not store directly on ground. Store in cool, dry area in a tightly closed product container away from sources of ignition or flame.

Incompatibilities: Store away from strong acids or oxidizing agents. Refer to Section 10.

Section 8: Exposure Control / Personal Protection

General / Engineering Controls: Ventilation: Local Exhaust: Required in handling area

Controls: Mechanical: Desirable to insure concentration of material below TLV/TWA levels

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: NIOSH or EN166 approved safety glasses/goggles (splash proof or dust-resistant) and a face shield to prevent contact with substance

Skin Protection: Wear chemical/powder resistant gloves.

Respiratory Protection: Chemical cartridge respirator for dust/mist/fume/radionuclide, or self-contained breathing apparatus with full face shield.

Additional Information: Lab coat/apron, flame and chemical resistant protective clothing, eye wash, safety shower, and hygiene facilities for washing. Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Section 9: Physical and Chemical Properties

State: Powder	Melting Point: 1554 °C	Specific Gravity: nN/A
Color: Black Powder	Boiling Point/Range: 2970 °C	pH: N/A
Molecular Wt. 106.4g/mol	Odor: None	Water Solubility: N/A
Evaporation rate: N/A	Flash Point: N/A	Part. Coeff (n-octanol/water): N/A
Upper Flam Limits: N/A	Lower Flam Limits: N/A	Vapor Pressure: N/A
VOC Content (lbs/gal): N/A	Viscosity: N/A	Autoignition Temp: N/A

Section 10: Stability and Reactivity

General: Stable under recommended storage conditions. Decomposition will not occur if used and stored according to specifications.

Incompatible materials: Oxidizing agents

Decomposition products: Metal Oxide Fume

Section 11: Toxicological Information

General Information: The Registry of Toxic Effects Chemical Substances (RTECS) contains acute toxicity data for components in this product. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Likely Routes of Exposure: Eye Contact
Skin Contact
Inhalation
Ingestion - possible, but considered unlikely.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: No specific data available. Do not allow large quantities of product to reach water, ground water, water courses or sewer systems.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: No specific data available.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Burn in an incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Consult with a licensed professional waste contractor to dispose of this material.

Container disposal: Treat empty containers with extra care. Consult waste contractor.

Other considerations: No further information.

Section 14: Transport Information

DOT: UN Number: 3089 Class: 4.1 Packing Group: II
Proper Shipping Name: Metal powders, flammable, n.o.s.
Marine Pollutant: No
Poison Inhalation hazard: No

IMO/IMDG: UN Number: 3089 Class: 4.1 Packing Group: II EMS-No: F-G, S-G
Proper Shipping Name: Metal powders, flammable, n.o.s.
Marine Pollutant: No

IATA: UN Number: 3089 Class: 4.1 Packing Group: II
Proper Shipping Name: Metal powders, flammable, n.o.s.

OTHER: Inquire for further transport information.

Section 15: Regulatory Information

TSCA: All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SARA 313 This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372

State Regulations:

California Prop. 65 Components: This product is not listed.

Canadian DSL: All ingredients of this product comply with New Substances Notification requirements of the Canadian Environmental Protection Act (CEPA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

Section 16: Other Information

NFPA Rating

Health: 1

Fire: 2

Reactivity: 1

HMIS Rating

Health: 1

Fire: 2

Reactivity: 1

Precautionary Label: Flammable Flammable Solid

***Disclaimer:** In compliance with the OSHA Hazard communication Standard, 29 C.F.R 1910.1200, we are providing you with a Materials Safety Data Sheet (MSDS) for the hazardous material you are purchasing.*

It is your responsibility to educate your employees on the safe use of the hazardous material. With this in mind, a copy should be forwarded to the supervisor of the user or to the user themselves, and copy should be retained in your files for future reference.

Colonial Metals, Inc. makes no presentation as to the accuracy of the information in the MSDS. The information is believe to be correct; however, you (the customer), should preform your own investigation and independent verification. If you resell the product, you are responsible to forward the information in the MSDS to your customer.

Colonial Metals, Inc.

SDS Author: John Kerchner

Version Date: 10/8/2015