

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Issued date 04/07/2022

Reviewed on 04/07/2022

1 Identification

- · Product identifier
- Trade name: RuPhos Pd G1, Methyl t-Butyl Ether Adduct
- · Chemical formula C38H53ClNO2PPd · CH3OC4H9
- · Product Code: 5146
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Colonial Metals, Inc. 505 Blue Ball Road ELKTON, MD 21922 USA

· Department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (410) 398-7200

Chemtrec: 800-424-9300

World Wide - Call COLLECT to U.S: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and

eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Specific Target Organ Toxicity - H335 May cause respiratory Single Exposure 3 irritation.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard statements

Causes severe skin burns and eye damage.

(Contd. on page 2)

Issued date 04/07/2022

Reviewed on 04/07/2022

Trade name: RuPhos Pd G1, Methyl t-Butyl Ether Adduct

(Contd. of page 1)

May cause respiratory irritation.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



 $\begin{aligned} &\text{Health} &= 3 \\ &\text{Fire} &= 0 \\ &\text{Reactivity} &= 0 \end{aligned}$

· HMIS-ratings (scale 0 - 4)



Health = 3
Fire = 0
Reactivity = 0

- · Other hazards
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

RuPhos Pd G1, Methyl t-Butyl Ether Adduct

- · Identification number(s) tert-Butyl methyl ether, 10-20%
- · Additional information: o-Chlorophenethylamine, 5-10%

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

Issued date 04/07/2022

Reviewed on 04/07/2022

(Contd. of page 2)

Trade name: RuPhos Pd G1, Methyl t-Butyl Ether Adduct

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Drink copious amounts of water and provide fresh air. Immediately call a

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

No further relevant information available.

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- PAC-1: Substance is not listed.
- · PAC-2: Substance is not listed.
- · PAC-3: Substance is not listed.

7 Handling and storage

- · Handling:
- Precautions for safe handling

No special precautions are necessary if used correctly.

Information about protection against explosions and fires:

No special measures required.

(Contd. on page 4)

Issued date 04/07/2022

Reviewed on 04/07/2022

Trade name: RuPhos Pd G1, Methyl t-Butyl Ether Adduct

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

No special requirements.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:

No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:
 Not required.
- · Additional information:

The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Issued date 04/07/2022 Reviewed on 04/07/2022

Trade name: RuPhos Pd G1, Methyl t-Butyl Ether Adduct

(Contd. of page 4)

· Eye protection:



Tightly sealed goggles

9 Physical and chemical prope	rties
Information on basic physical andGeneral InformationAppearance:	d chemical properties
Form:	Not determined.
Color:	Not determined.
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in conditionMelting point/Melting range:Boiling point/Boiling range:	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Not determined.
Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.
Molecular Weight	816.83 g/mol

US

Issued date 04/07/2022

Reviewed on 04/07/2022

Trade name: RuPhos Pd G1, Methyl t-Butyl Ether Adduct

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

US

Issued date 04/07/2022 Reviewed on 04/07/2022

Trade name: RuPhos Pd G1, Methyl t-Butyl Ether Adduct

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN3267
UN proper shipping name	
DOT, IATA	Corrosive liquid, basic, organic,
	n.o.s. (RuPhos Pd G1, Methyl t-Buty
	Ether Adduct)
IMDG	CORROSIVE LIQUID, BASIC, ORGANIC,
	N.O.S. (RuPhos Pd G1, Methyl t-Buty Ether Adduct)
	Ether Adduct)
Transport hazard class(es)	
DOT	
CORROSIVE	
•	
Class	8 Corrosive substances
Label	8
· IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number	-
(Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.

Issued date 04/07/2022

Trade name: RuPhos Pd G1, Methyl t-Butyl Ether Adduct

Reviewed on 04/07/2022

	(Contd. of page
· Segregation Code	SG35 Stow "separated from" SGG1-
begregation code	acids
Transport in bulk according to Annex II of MARPOL73/78 and the	IBC
Code	Not applicable.
· Transport/Additional information	:
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3267 CORROSIVE LIQUID, BASIC,

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

ORGANIC, N.O.S. (RUPHOS PD G1,

METHYL T-BUTYL ETHER ADDUCT), 8, III

No further relevant information available.

- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): Substance is not listed.
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
 Substance is not listed.
- GHS label elements

The substance is classified and labeled according to the $\mbox{Globally Harmonized System (GHS).}$

· Hazard pictograms





Issued date 04/07/2022

Reviewed on 04/07/2022

Trade name: RuPhos Pd G1, Methyl t-Butyl Ether Adduct

(Contd. of page 8)

· Signal word Danger

· Hazard statements

Causes severe skin burns and eye damage.

May cause respiratory irritation.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/ international regulations.

· Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer: In compliance with the OSHA Hazard communication Standard, 29 C.F.R 1910.1200, we are providing you with a Safety Data Sheet (SDS) for the hazardous material you are purchasing.

It is your responsibility to educate your employees on the safe use of the hazardous material. With this in mind, a copy should be forwarded to the supervisor of the user or to the user themselves, and copy should be retained in your files for future reference.

Colonial Metals, Inc. makes no presentation as to the accuracy of the information in the SDS. The information is believe to be correct; however, you (the customer), should perform your own investigation and independent verification. If you resell the product, you are responsible to forward the information in the SDS to your customer.

Colonial Metals, Inc.

· Department issuing SDS:

EHS Department.

Colonial Metals, Inc. is a subsidiary of Amesgoldsmith

· Contact: +1 410-398-7200

Date of preparation / last revision 04/07/2022 / 1

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 10)

Page 10/10

Safety Data Sheet acc. to OSHA HCS

Issued date 04/07/2022

Reviewed on 04/07/2022

Trade name: RuPhos Pd G1, Methyl t-Butyl Ether Adduct

(Contd. of page 9)

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single

exposure) - Category 3

· Data compared to the previous version altered.